




Designation	Dimensions [mm]				Load ratings(kN)		Speed ratings(rpm)		Mass
	d	D	B	r1,r2 Min	dyn Cr	stat Cor	grease	oil	Kg
61800	10	19	5	0.3	1.73	0.83	34000	40000	0.005
61800.2RSR	10	19	5	0.3	1.73	0.83	22000	--	0.005
61800.2Z	10	19	5	0.3	1.73	0.83	34000	--	0.005
61900	10	22	6	0.3	2.7	1.27	34000	40000	0.01
61900.2RSR	10	22	6	0.3	2.7	1.27	22000	--	0.01
61900.2Z	10	22	6	0.3	2.7	1.27	34000	--	0.01
6000	10	26	8	0.3	4.55	1.96	28000	34000	0.019
6000.2RSR	10	26	8	0.3	4.55	1.96	17000	--	0.019
6000.2Z	10	26	8	0.3	4.55	1.96	28000	--	0.019
6000Z	10	26	8	0.3	4.55	1.96	28000	34000	0.019
6000RSR	10	26	8	0.3	4.55	1.96	17000	--	0.019
6200	10	30	9	0.6	6	2.6	26000	32000	0.03

Single Row Deep Groove Ball Bearings

6200.2RSR	10	30	9	0.6	6	2.6	17000	--	0.03
62200.2RSR	10	30	14	0.6	6	2.6	17000	--	0.048
6200.2Z	10	30	9	0.6	6	2.6	26000	--	0.03
6200Z	10	30	9	0.6	6	2.6	26000	32000	0.03
6200RSR	10	30	9	0.6	6	2.6	17000	--	0.03
6300	10	35	11	0.6	8.15	3.45	22000	28000	0.055
6300.2RSR	10	35	11	0.6	8.15	3.45	14500	--	0.055
62300.2RSR	10	35	17	0.6	8.15	3.45	14500	--	0.06
6300.2Z	10	35	11	0.6	8.15	3.45	22000	--	0.055
6300Z	10	35	11	0.6	8.15	3.45	22000	28000	0.055
6300RSR	10	35	11	0.6	8.15	3.45	14500	--	0.055
61801	12	21	5	0.3	1.8	0.95	32000	37000	0.006
61801.2RSR	12	21	5	0.3	1.8	0.95	21000	--	0.006
61801.2Z	12	21	5	0.3	1.8	0.95	32000	--	0.006
61901	12	24	6	0.3	2.25	0.98	30000	36000	0.011
61901.2RSR	12	24	6	0.3	2.25	0.98	20000	--	0.011
61901.2Z	12	24	6	0.3	2.25	0.98	30000	--	0.011
6001	12	28	8	0.3	5.1	2.36	26000	32000	0.02
6001.2RSR	12	28	8	0.3	5.1	2.36	17000	32000	0.02
6001.2Z	12	28	8	0.3	5.1	2.36	26000	32000	0.02
6001Z	12	28	8	0.3	5.1	2.36	26000	--	0.02
6001RSR	12	28	8	0.3	5.1	2.36	17000	--	0.02
6201	12	32	10	0.6	6.95	3.1	24000	30000	0.04
6201.2RSR	12	32	10	0.6	6.95	3.1	16000	--	0.04
62201.2RSR	12	32	14	0.6	6.95	3.1	16000	--	0.048
6201.2Z	12	32	10	0.6	6.95	3.1	24000	--	0.04
6201Z	12	32	10	0.6	6.95	3.1	24000	30000	0.04
6201RSR	12	32	10	0.6	6.95	3.1	16000	--	0.04

Single Row Deep Groove Ball Bearings

6301	12	37	12	1	9.6	4.1	20000	26000	0.06
6301.2RSR	12	37	12	1	9.6	4.1	13000	--	0.06
62301.2RSR	12	37	17	1	9.6	4.1	13000	--	0.065
6301.2Z	12	37	12	1	9.6	4.1	20000	--	0.06
6301Z	12	37	12	1	9.6	4.1	20000	26000	0.06
6301RSR	12	37	12	1	9.6	4.1	13000	--	0.06
61802	15	24	5	0.3	2.08	1.25	28000	34000	0.007
61802.2RSR	15	24	5	0.3	2.08	1.25	18500	--	0.007
61802.2Z	15	24	5	0.3	2.08	1.25	28000	--	0.007
61902	15	28	7	0.3	4.03	2.04	24000	30000	0.016
61902.2RSR	15	28	7	0.3	4.03	2.04	16000	--	0.016
61902.2Z	15	28	7	0.3	4.03	2.04	24000	--	0.016
6002	15	32	9	0.3	5.6	2.85	24000	30000	0.029
16002	15	32	8	0.3	5.6	2.9	24000	30000	0.03
6002.2RSR	15	32	9	0.3	5.6	2.85	15000	--	0.029
6002.2Z	15	32	9	0.3	5.6	2.85	24000	--	0.029
6002Z	15	32	9	0.3	5.6	2.85	24000	30000	0.029
6002RSR	15	32	9	0.3	5.6	2.85	15000	--	0.029
6202	15	35	11	0.6	7.8	3.75	20000	26000	0.043
6202.2RSR	15	35	11	0.6	7.8	3.75	13000	--	0.043
62202.2RSR	15	35	14	0.6	7.8	3.75	13000	--	0.043
6202.2Z	15	35	11	0.6	7.8	3.75	20000	--	0.043
6202Z	15	35	11	0.6	7.8	3.75	20000	26000	0.043
6202RSR	15	35	11	0.6	7.8	3.75	13000	--	0.043
6302	15	42	13	1	11.4	5.4	18000	22000	0.08
6302.2RSR	15	42	13	1	11.4	5.4	12000	--	0.08
62302.2RSR	15	42	17	1	11.4	5.4	12000	--	0.111
6302.2Z	15	42	13	1	11.4	5.4	18000	--	0.08

Single Row Deep Groove Ball Bearings

6302Z	15	42	13	1	11.4	5.4	18000	22000	0.08
6302RSR	15	42	13	1	11.4	5.4	12000	--	0.08
61803	17	26	5	0.3	2.24	1.46	24000	30000	0.008
61803.2RSR	17	26	5	0.3	2.24	1.46	16000	--	0.008
61803.2Z	17	26	5	0.3	2.24	1.46	24000	--	0.008
61903	17	30	7	0.3	4.36	2.32	22000	28000	0.018
61903.2RSR	17	30	7	0.3	4.36	2.32	14500	--	0.018
61903.2Z	17	30	7	0.3	4.36	2.32	22000	--	0.018
6003	17	35	10	0.3	6	3.25	22000	28000	0.037
16003	17	35	8	0.3	6	3.25	22000	28000	0.03
6003.2RSR	17	35	10	0.3	6	3.25	13000	--	0.037
6003.2Z	17	35	10	0.3	6	3.25	22000	--	0.037
6003Z	17	35	10	0.3	6	3.25	22000	28000	0.037
6003RSR	17	35	10	0.3	6	3.25	13000	--	0.037
6203	17	40	12	0.6	9.5	4.75	18000	22000	0.063
6203.2RSR	17	40	12	0.6	9.5	4.75	12000	--	0.063
62203.2RSR	17	40	16	0.6	9.5	4.75	12000	--	0.085
6203.2Z	17	40	12	0.6	9.5	4.75	18000	--	0.063
6203Z	17	40	12	0.6	9.5	4.75	18000	22000	0.063
6203RSR	17	40	12	0.6	9.5	4.75	12000	--	0.063
6303	17	47	14	1	13.4	6.55	16000	19000	0.11
6303.2RSR	17	47	14	1	13.4	6.55	10500	--	0.11
62303.2RSR	17	47	19	1	13.4	6.55	10500	--	0.151
6303.2Z	17	47	14	1	13.4	6.55	16000	--	0.11
6303Z	17	47	14	1	13.4	6.55	16000	19000	0.11
6303RSR	17	47	14	1	13.4	6.55	10500	--	0.11
6403	17	62	17	1.1	13.4	11	12000	15000	0.275
61804	20	32	7	0.3	3.45	2.24	19000	24000	0.018

Single Row Deep Groove Ball Bearings

61804.2RSR	20	32	7	0.3	3.45	2.24	12500	--	0.018
61804.2Z	20	32	7	0.3	3.45	2.24	19000	--	0.018
61904	20	37	9	0.3	6.35	3.65	18000	22000	0.038
61904.2RSR	20	37	9	0.3	6.35	3.65	12000	--	0.038
61904.2Z	20	37	9	0.3	6.35	3.65	18000	--	0.038
6004	20	42	12	0.6	9.3	5	17000	20000	0.065
16004	20	42	8	0.3	6.95	4.05	18000	22000	0.049
6004.2RSR	20	42	12	0.6	9.3	5	11000	--	0.065
6004.2Z	20	42	12	0.6	9.3	5	17000	--	0.065
6004Z	20	42	12	0.6	9.3	5	17000	20000	0.065
6004RSR	20	42	12	0.6	9.3	5	11000	--	0.065
6204	20	47	14	1	12.7	6.55	15000	18000	0.105
6204.2RSR	20	47	14	1	12.7	6.55	9900	--	0.105
62204.2RSR	20	47	18	1	12.7	6.55	9900	--	0.133
6204.2Z	20	47	14	1	12.7	6.55	15000	--	0.105
6204Z	20	47	14	1	12.7	6.55	15000	18000	0.105
6204RSR	20	47	14	1	12.7	6.55	9900	--	0.105
6304	20	52	15	1.1	17.3	8.5	14000	17000	0.148
6304.2RSR	20	52	15	1.1	17.3	8.5	9300	--	0.148
62304.2RSR	20	52	21	1.1	17.3	8.5	9300	--	0.207
6304.2Z	20	52	15	1.1	17.3	8.5	14000	--	0.148
6304Z	20	52	15	1.1	17.3	8.5	14000	17000	0.148
6304RSR	20	52	15	1.1	17.3	8.5	9300	--	0.148
6404	20	72	19	1.1	30.5	15	10000	13000	0.412
60/22	22	44	12	0.6	9.3	5	17000	20000	0.07
60/22999	22	44	12	0.6	9.3	5	11500	-	0.07
60/22.2Z	22	44	12	0.6	9.3	5	17000	-	0.07
62/22	22	50	14	1	12.7	6.55	15000	18000	0.11

Single Row Deep Groove Ball Bearings

62/22.2RSR	22	50	14	1	12.7	6.55	10000	-	0.11
62/22.2Z	22	50	14	1	12.7	6.55	15000	-	0.11
63/22	22	56	16	1.1	17.3	8.5	14000	17000	0.16
63/22.2RSR	22	56	16	1.1	17.3	8.5	9500	-	0.16
63/22.2Z	22	56	16	1.1	17.3	8.5	14000	-	0.16
61805	25	37	7	0.3	4.36	2.6	17000	20000	0.022
61805.2RSR	25	37	7	0.3	4.36	2.6	11000	--	0.022
61805.2Z	25	37	7	0.3	4.36	2.6	17000	--	0.022
61905	25	42	9	0.3	6.6	4	10500	--	0.045
61905.2RSR	25	42	9	0.3	6.6	4	16000	19000	0.045
61905.2Z	25	42	9	0.3	6.6	4	16000	--	0.045
6005	25	47	12	0.6	10	5.85	15000	18000	0.078
16005	25	47	8	0.3	7.2	4.65	16000	19000	0.056
6005.2RSR	25	47	12	0.6	10	5.85	10000	--	0.078
63005.2RSR	25	47	16	0.6	10	5.85	10000	--	0.1
6005.2Z	25	47	12	0.6	10	5.85	15000	--	0.078
6005Z	25	47	12	0.6	10	5.85	15000	18000	0.078
6005RSR	25	47	12	0.6	10	5.85	10000	--	0.078
6205	25	52	15	1	14.3	8	14000	17000	0.125
6205.2RSR	25	52	15	1	14.3	8	9300	--	0.125
62205.2RSR	25	52	18	1	14.3	8	9300	--	0.154
6205.2Z	25	52	15	1	14.3	8	14000	--	0.125
6205Z	25	52	15	1	14.3	8	14000	17000	0.125
6205RSR	25	52	15	1	14.3	8	9300	--	0.125
6305	25	62	17	1.1	22.4	11.4	11000	14000	0.232
6305.2RSR	25	62	17	1.1	22.4	11.4	7300	--	0.232
62305.2RSR	25	62	24	1.1	22.4	11.4	7300	--	0.326
6305.2Z	25	62	17	1.1	22.4	11.4	11000	--	0.232

Single Row Deep Groove Ball Bearings

6305RSR	25	62	17	1.1	22.4	11.4	7300	--	0.232
6305Z	25	62	17	1.1	22.4	11.4	11000	14000	0.232
6405	25	80	21	1.5	36	19.3	9000	11000	0.543
60/28	28	52	12	0.6	14.3	8	14000	17000	0.1
60/28.2RSR	28	52	12	0.6	14.3	8	9500	--	0.1
60/28.2Z	28	52	12	0.6	14.3	8	14000	--	0.1
62/28	28	58	16	1	16.2	9.2	11000	14000	0.17
62/28.2RSR	28	58	16	1	16.2	9.2	7500	--	0.17
62/28.2Z	28	58	16	1	16.2	9.2	11000	--	0.17
63/28	28	68	18	1.1	22.4	11.4	9000	11000	0.29
63/28.2RSR	28	68	18	1.1	22.4	11.4	6000	--	0.29
63/28.2Z	28	68	18	1.1	22.4	11.4	9000		0.29
61806	30	42	7	0.3	4.49	2.9	15000	18000	0.027
61806.2RSR	30	42	7	0.3	4.49	2.9	10000	--	0.027
61806.2Z	30	42	7	0.3	4.49	2.9	15000	--	0.027
61906	30	47	9	0.3	7.25	4.55	14000	17000	0.051
61906.2RSR	30	47	9	0.3	7.25	4.55	9500	--	0.051
61906.2Z	30	47	9	0.3	7.25	4.55	14000	--	0.051
6006	30	55	13	1	12.7	8	13000	16000	0.115
16006	30	55	9	0.3	11.2	7.35	13000	16000	0.084
6006.2RSR	30	55	13	1	12.7	8	8500	--	0.115
63006.2RSR	30	55	13	1	12.7	8	8500	--	0.115
6006.2Z	30	55	13	1	12.7	8	13000	--	0.115
6006Z	30	55	13	1	12.7	8	13000	16000	0.115
6006RSR	30	55	13	1	12.7	8	8500	--	0.115
6206	30	62	16	1	19.3	11.2	11000	14000	0.192
6206.2RSR	30	62	16	1	19.3	11.2	7300	--	0.192
62206.2RSR	30	62	20	1	19.3	11.2	7300	--	0.243

Single Row Deep Groove Ball Bearings

6206.2Z	30	62	16	1	19.3	11.2	11000	--	0.192
6206Z	30	62	16	1	19.3	11.2	11000	14000	0.192
6206RSR	30	62	16	1	19.3	11.2	7300	--	0.192
6306	30	72	19	1.1	29	16.3	9500	12000	0.348
6306.2RSR	30	72	19	1.1	29	16.3	6300	--	0.348
62306.2RSR	30	72	27	1.1	29	16.3	6300	--	0.493
6306.2Z	30	72	19	1.1	29	16.3	9500	--	0.348
6306Z	30	72	19	1.1	29	16.3	9500	12000	0.348
6306RSR	30	72	19	1.1	29	16.3	6300	--	0.348
6406	30	90	23	1.5	42.5	23.2	8500	10000	0.746
60/32	32	58	13	1	12.7	8	11000	14000	0.13
60/32.2RSR	32	58	13	1	12.7	8	7300	--	0.13
60/32.2Z	32	58	13	1	12.7	8	11000	--	0.13
62/32	32	65	17	1	19.3	11.2	9500	12000	0.23
62/32.2RSR	32	65	17	1	19.3	11.2	6300	--	0.23
62/32.2Z	32	65	17	1	19.3	11.2	9500	--	0.23
63/32	32	75	20	1.1	29	16.3	8500	10000	0.39
63/32.2RSR	32	75	20	1.1	29	16.3	5700	--	0.39
63/32.2Z	32	75	20	1.1	29	16.3	8500	--	0.39
61807	35	47	7	0.3	4.75	3.2	13000	16000	0.03
61807.2RSR	35	47	7	0.3	4.75	3.2	8500	--	0.03
61807.2Z	35	47	7	0.3	4.75	3.2	13000	--	0.03
61907	35	55	10	0.6	9.55	6.2	11000	14000	0.08
61907.2RSR	35	55	10	0.6	9.55	6.2	7500	--	0.08
61907.2Z	35	55	10	0.6	9.55	6.2	11000	--	0.08
6007	35	62	14	1	16.3	10.4	11000	14000	0.151
16007	35	62	9	0.3	12.2	8.8	11000	14000	0.107
6007.2RSR	35	62	14	1	16.3	10.4	7300	--	0.151

Single Row Deep Groove Ball Bearings

63007.2RSR	35	62	20	1	15.9	10.2	7000	--	0.21
6007.2Z	35	62	14	1	16.3	10.4	11000	14000	0.151
6007Z	35	62	14	1	16.3	10.4	11000	--	0.151
6007RSR	35	62	14	1	16.3	10.4	7300	--	0.151
6207	35	72	17	1.1	25.5	15.3	9500	12000	0.288
6207.2RSR	35	72	17	1.1	25.5	15.3	6300	--	0.288
62207.2RSR	35	72	23	1.1	25.5	15.3	6300	--	0.388
6207.2Z	35	72	17	1.1	25.5	15.3	9500	--	0.288
6207Z	35	72	17	1.1	25.5	15.3	9500	--	0.288
6207RSR	35	72	17	1.1	25.5	15.3	6300	--	0.288
6307	35	80	21	1.5	33.5	19	8500	10000	0.458
6307.2RSR	35	80	21	1.5	33.5	19	5600	--	0.458
62307.2RSR	35	80	31	1.5	33.5	19	5600	--	0.68
6307.2Z	35	80	21	1.5	33.5	19	8500	--	0.458
6307Z	35	80	21	1.5	33.5	19	8500	10000	0.458
6307RSR	35	80	21	1.5	33.5	19	5600	--	0.458
6407	35	100	25	1.5	55	31	7000	8500	0.928
61808	40	52	7	0.3	4.94	3.45	11000	14000	0.034
61808.2RSR	40	52	7	0.3	4.94	3.45	7000	--	0.034
61808.2Z	40	52	7	0.3	4.94	3.45	11000	--	0.034
61908	40	62	12	0.6	13.75	9.28	10000	13000	0.12
61908.2RSR	40	62	12	0.6	13.75	9.28	6500	--	0.12
61908.2Z	40	62	12	0.6	13.75	9.28	10000	--	0.12
6008	40	68	15	1	17	11.8	10000	13000	0.188
16008	40	68	9	0.3	13.2	10.2	10000	13000	0.126
6008.2RSR	40	68	15	1	17	11.8	6600	--	0.188
63008.2RSR	40	68	21	1	17	11.8	6600	--	0.26
6008.2Z	40	68	15	1	17	11.8	10000	--	0.188

Single Row Deep Groove Ball Bearings

6008Z	40	68	15	1	17	11.8	10000	13000	0.188
6008RSR	40	68	15	1	17	11.8	6600	--	0.188
6208	40	80	18	1.1	29	18	8500	10000	0.366
6208.2RSR	40	80	18	1.1	29	18	5600	--	0.366
62208.2RSR	40	80	23	1.1	29	18	5600	--	0.471
6208.2Z	40	80	18	1.1	29	18	8500	--	0.366
6208Z	40	80	18	1.1	29	18	8500	10000	0.366
6208RSR	40	80	18	1.1	29	18	5600	--	0.366
6308	40	90	23	1.5	42.5	25	7500	9000	0.632
6308.2RSR	40	90	23	1.5	42.5	25	5000	--	0.632
62308.2RSR	40	90	33	1.5	42.5	25	5000	--	0.89
6308.2Z	40	90	23	1.5	42.5	25	7500	--	0.632
6308Z	40	90	23	1.5	42.5	25	7500	9000	0.632
6308RSR	40	90	23	1.5	42.5	25	5000	--	0.632
6408	40	110	27	2	63	36.5	6700	8000	1.18
61809	45	58	7	0.3	6.05	4.3	9500	12000	0.04
61809.2RSR	45	58	7	0.3	6.05	4.3	6300	--	0.04
61809.2Z	45	58	7	0.3	6.05	4.3	9500	--	0.04
61909	45	68	12	0.6	10	6.5	9000	11000	0.14
61909.2RSR	45	68	12	0.6	10	6.5	6000	--	0.14
61909.2Z	45	68	12	0.6	10	6.5	9000	--	0.14
6009	45	75	16	1	20	14.3	9000	11000	0.231
16009	45	75	10	0.6	15.6	12.2	9000	11000	0.168
6009.2RSR	45	75	16	1	20	14.3	6000	--	0.231
63009.2RSR	45	75	23	1	20	14.3	6000	--	1
6009.2Z	45	75	16	1	20	14.3	9000	--	0.231
6009Z	45	75	16	1	20	14.3	9000	11000	0.231
6009RSR	45	75	16	1	20	14.3	6000	--	0.231

Single Row Deep Groove Ball Bearings

6209	45	85	19	1.1	32.5	20.4	8000	9500	0.405
6209.2RSR	45	85	19	1.1	32.5	20.4	5300	--	0.405
62209.2RSR	45	85	23	1.1	32.5	20.4	5300	--	0.523
6209.2Z	45	85	19	1.1	32.5	20.4	8000	--	0.405
6209Z	45	85	19	1.1	32.5	20.4	8000	9500	0.405
6209RSR	45	85	19	1.1	32.5	20.4	5300	--	0.405
6309	45	100	25	1.5	53	32	6700	8000	0.848
6309.2RSR	45	100	25	1.5	53	32	4400	--	0.848
62309.2RSR	45	100	36	1.5	53	32	4400	--	1.19
6309.2Z	45	100	25	1.5	53	32	6700	--	0.848
6309Z	45	100	25	1.5	53	32	6700	8000	0.848
6309RSR	45	100	25	1.5	53	32	4400	--	0.848
6409	45	120	29	2	76.5	45	6000	7000	1.51
61810	50	65	7	0.3	6.24	4.75	9000	11000	0.052
61910	50	72	12	0.6	14.5	10.5	8500	10000	0.14
61910.2RSR	50	72	12	0.6	14.5	10.5	5500	--	0.14
61910.2Z	50	72	12	0.6	14.5	10.5	8500	--	0.14
6010	50	80	16	1	20.8	15.6	8500	10000	0.261
16010	50	80	10	0.6	16	13.2	8500	10000	0.18
6010.2RSR	50	80	16	1	20.8	15.6	5600	--	0.261
63010.2RSR	50	80	23	1	20.8	15.6	5600	--	0.37
6010.2Z	50	80	16	1	20.8	15.6	8500	--	0.261
6010Z	50	80	16	1	20.8	15.6	8500	10000	0.261
6010RSR	50	80	16	1	20.8	15.6	5600	--	0.261
6210	50	90	20	1.1	36.5	24	7500	9000	0.453
6210.2RSR	50	90	20	1.1	36.5	24	5000	--	0.453
62210.2RSR	50	90	23	1.1	36.5	24	5000	--	0.55
6210.2Z	50	90	20	1.1	36.5	24	7500	--	0.453

Single Row Deep Groove Ball Bearings

6210Z	50	90	20	1.1	36.5	24	7500	9000	0.453
6210RSR	50	90	20	1.1	36.5	24	5000	--	0.453
6310	50	110	27	2	62	38	6000	7000	1.1
6310.2RSR	50	110	27	2	62	38	4000	--	1.1
62310.2RSR	50	110	40	2	62	38	4000	--	1.6
6310.2Z	50	110	27	2	62	38	6000	--	1.1
6310Z	50	110	27	2	62	38	6000	7000	1.1
6310RSR	50	110	27	2	62	38	4000	--	1.1
6410	50	130	31	2.1	86.5	52	5300	6300	1.83
61811	55	72	9	0.3	8.6	8.5	9500	10000	0.083
61911	55	80	13	1	15.8	11.5	8000	9500	0.19
6011	55	90	18	1.1	28.5	21.2	7500	9000	0.311
16011	55	90	11	0.6	19.3	16.3	7500	9000	0.26
6011.2RSR	55	90	18	1.1	28.5	21.2	5000	--	0.311
6011.2Z	55	90	18	1.1	28.5	21.2	7500	--	0.311
6011Z	55	90	18	1.1	28.5	21.2	5000	--	0.311
6011RSR	55	90	18	1.1	28.5	21.2	5000	--	0.311
6211	55	100	21	1.5	43	29	6700	8000	0.607
6211.2RSR	55	100	21	1.5	43	29	4400	--	0.607
62211.2RSR	55	100	25	1.5	43	29	4300	--	0.7
6211.2Z	55	100	21	1.5	43	29	6700	--	0.607
6211Z	55	100	21	1.5	43	29	6700	8000	0.607
6211RSR	55	100	21	1.5	43	29	4400	--	0.607
6311	55	120	29	2	76.5	47.4	5300	6300	1.39
6311.2RSR	55	120	29	2	76.5	47.4	3500	--	1.39
62311.2RSR	55	120	43	2	76.5	47.4	3500	--	1.95
6311.2Z	55	120	29	2	76.5	47.4	5300	--	1.39
6311Z	55	120	29	2	76.5	47.4	5300	6300	1.39

Single Row Deep Groove Ball Bearings

6311RSR	55	120	29	2	76.5	47.4	3500	--	1.39
6411	55	140	33	2.1	100	62	5000	6000	2.4
61812	60	78	10	0.3	11.8	11	7500	9000	0.11
61912	60	85	13	1	16.5	12	7500	9000	0.2
6012	60	95	18	1.1	29	23.2	7000	8500	0.41
16012	60	95	11	0.6	20.8	15	7000	8500	0.28
6012.2RSR	60	95	18	1.1	29	23.2	4500	--	0.41
6012.2Z	60	95	18	1.1	29	23.2	7000	--	0.41
6012Z	60	95	18	1.1	29	23.2	7000	8500	0.41
6012RSR	60	95	18	1.1	29	23.2	4500	--	0.41
6212	60	110	22	1.5	52	36	6000	7000	0.783
6212.2RSR	60	110	22	1.5	52	36	4000	--	0.783
62212.2RSR	60	110	28	1.5	52	36	4000	--	0.97
6212.2Z	60	110	22	1.5	52	36	6000	--	0.783
6212Z	60	110	22	1.5	52	36	6000	7000	0.783
6212RSR	60	110	22	1.5	52	36	4000	--	0.783
6312	60	130	31	2.1	81.5	52	5000	6000	1.72
6312.2RSR	60	130	31	2.1	81.5	52	3300	--	1.72
62312.2RSR	60	130	46	2.1	81.5	52	3400	--	2.5
6312.2Z	60	130	31	2.1	81.5	52	5000	--	1.72
6312Z	60	130	31	2.1	81.5	52	5000	6000	1.72
6312RSR	60	130	31	2.1	81.5	52	3300	--	1.72
6412	60	150	35	2.1	110	69.5	4300	5100	2.8
61813	65	85	10	0.6	12.2	12	7500	9100	0.13
61913	65	90	13	1	17.3	13.4	6700	8000	0.22
6013	65	100	18	1.1	30.5	25	6300	7500	0.436
16013	65	100	11	0.6	21.2	19.6	6700	8000	0.298
6013.2RSR	65	100	18	1.1	30.5	25	4100	--	0.436

Single Row Deep Groove Ball Bearings

6013.2Z	65	100	18	1.1	30.5	25	6300	--	0.436
6013Z	65	100	18	1.1	30.5	25	6300	7500	0.436
6013RSR	65	100	18	1.1	30.5	25	4100	--	0.436
6213	65	120	23	1.5	60	41.5	5300	6300	0.982
6213.2RSR	65	120	23	1.5	60	41.5	3500	--	0.982
62213.2RSR	65	120	31	1.5	60	41.5	3500	--	1.5
6213.2Z	65	120	23	1.5	60	41.5	5300	--	0.982
6213Z	65	120	23	1.5	60	41.5	5300	6300	0.982
6213RSR	65	120	23	1.5	60	41.5	3500	--	0.982
6313	65	140	33	2.1	93	60	4500	5300	2.13
6313.2RSR	65	140	33	2.1	93	60	3000	--	2.13
62313.2RSR	65	140	48	2.1	93	60	3200	--	3
6313.2Z	65	140	33	2.1	93	60	4500	--	2.13
6313Z	65	140	33	2.1	93	60	4500	5300	2.13
6313RSR	65	140	33	2.1	93	60	3000	--	2.13
6413	65	160	37	2.1	118	78	4000	4800	3.3
61814	70	90	10	0.6	12.1	12.5	7000	8500	0.14
61914	70	100	16	1	23.8	18.4	6300	7500	0.35
6014	70	110	20	1.1	39	31.5	6000	7000	0.6
16014	70	110	13	0.6	28	25	6000	7000	0.43
6014.2RSR	70	110	20	1.1	39	31.5	4000	--	0.604
6014.2Z	70	110	20	1.1	39	31.5	6000	--	0.604
6014Z	70	110	20	1.1	39	31.5	6000	7000	0.604
6014RSR	70	110	20	1.1	39	31.5	4000	--	0.604
6214	70	125	24	1.5	62	44	5000	6000	1.08
6214.2RSR	70	125	24	1.5	62	44	3300	--	1.08
62214.2RSR	70	125	31	1.5	62	44	3400	--	1.3
6214.2Z	70	125	24	1.5	62	44	5000	--	1.08

Single Row Deep Groove Ball Bearings

6214Z	70	125	24	1.5	62	44	5000	6000	1.08
6214RSR	70	125	24	1.5	62	44	3300	--	1.08
6314	70	150	35	2.1	104	68	4300	5000	2.63
6314.2RSR	70	150	35	2.1	104	68	2800	--	2.63
62314.2RSR	70	150	51	2.1	104	68	3000	--	3.55
6314.2Z	70	150	35	2.1	104	68	4300	--	2.63
6314Z	70	150	35	2.1	104	68	4300	5000	2.63
6314RSR	70	150	35	2.1	104	68	2800	--	2.63
6414	70	180	42	3	143	104	3800	4500	4.8
61815	75	95	10	0.6	13.2	10.8	6700	8000	0.15
61915	75	105	16	1	24.2	19.2	6000	7000	0.37
6015	75	115	20	1.1	40	34	5600	6700	0.643
16015	75	115	13	0.6	28.5	27	5600	6700	0.456
6015.2RSR	75	115	20	1.1	40	34	3700	--	0.643
6015.2Z	75	115	20	1.1	40	34	5600	--	0.643
6015Z	75	115	20	1.1	40	34	5600	6700	0.643
6015RSR	75	115	20	1.1	40	34	3700	--	0.643
6215	75	130	25	1.5	65.5	49	4800	5600	1.21
6215.2RSR	75	130	25	1.5	65.5	49	3200	--	1.21
6215.2Z	75	130	25	1.5	65.5	49	4800	--	1.21
6215Z	75	130	25	1.5	65.5	49	4800	5600	1.21
6215RSR	75	130	25	1.5	65.5	49	3200		1.21
6315	75	160	37	2.1	114	76.5	4000	4800	3.12
6315.2RSR	75	160	37	2.1	114	76.5	2700	--	3.12
6315.2Z	75	160	37	2.1	114	76.5	4000	--	3.12
6315Z	75	160	37	2.1	114	76.5	4000	4800	3.12
6315RSR	75	160	37	2.1	114	76.5	2700	--	3.12
6415	75	190	45	3	153	114	3600	4300	6.75

Single Row Deep Groove Ball Bearings

61816	80	100	10	0.6	12.9	13.7	6200	7400	0.15
61916	80	110	16	1	25	20.5	5600	6700	0.4
6016	80	125	22	1.1	47.5	40	5000	6000	0.85
16016	80	125	14	0.6	32	31	5300	6300	0.615
6016.2RSR	80	125	22	1.1	47.5	40	3300	--	0.85
6016.2Z	80	125	22	1.1	47.5	40	5000	--	0.85
6016Z	80	125	22	1.1	47.5	40	5000	6000	0.85
6016RSR	80	125	22	1.1	47.5	40	3300	--	0.85
6216	80	140	26	2	72	53	4500	5300	1.42
6216.2RSR	80	140	26	2	72	53	3000	--	1.42
6216.2Z	80	140	26	2	72	53	4500	--	1.42
6216Z	80	140	26	2	72	53	4500	5300	1.42
6216RSR	80	140	26	2	72	53	3000		1.42
6316	80	170	39	2.1	122	86.5	3800	4500	3.73
6316.2RSR	80	170	39	2.1	122	86.5	2500	--	3.73
6316.2Z	80	170	39	2.1	122	86.5	3800	--	3.73
6316RSR	80	170	39	2.1	122	86.5	2500		3.73
6316Z	80	170	39	2.1	122	86.5	3800	4500	3.73
6416	80	200	48	3	163	125	3400	4000	8
61817	85	110	13	1	19.5	20	5600	6700	0.27
61917	85	120	18	1.1	31.9	30	5300	6300	0.55
6017	85	130	22	1.1	50	43	4800	5600	0.895
16017	85	130	14	0.6	34	33.5	5000	6000	0.641
6017.2RSR	85	130	22	1.1	50	43	3200	--	0.895
6017.2Z	85	130	22	1.1	50	43	4800	--	0.895
6017Z	85	130	22	1.1	50	43	4800	5600	0.895
6017RSR	85	130	22	1.1	50	43	3200	--	0.895
6217	85	150	28	2	83	64	4300	5000	1.82

Single Row Deep Groove Ball Bearings

6217.2RSR	85	150	28	2	83	64	2800	--	1.82
6217.2Z	85	150	28	2	83	64	4300	--	1.82
6217Z	85	150	28	2	83	64	4300	5000	1.82
6217RSR	85	150	28	2	83	64	2800	--	1.82
6317	85	180	41	3	125	88	3400	4000	4.24
6317.2RSR	85	180	41	3	125	88	2300	--	4.24
6317.2Z	85	180	41	3	125	88	3400	--	4.24
6317Z	85	180	41	3	125	88	3400	4000	4.24
6317RSR	85	180	41	3	125	88	2300	--	4.24
6417	85	210	52	4	173	137	3200	3800	9.25
61818	90	115	13	1	19.5	20.4	5300	6300	0.28
61918	90	125	18	1.1	33.2	31.5	5000	6000	0.59
6018	90	140	24	1.5	58.5	50	4500	5300	1.18
16018	90	140	16	1	41.5	39	4500	5300	0.859
6018.2RSR	90	140	24	1.5	58.5	50	3000	--	1.18
6018.2Z	90	140	24	1.5	58.5	50	4500	--	1.18
6018Z	90	140	24	1.5	58.5	50	4500	5300	1.18
6018RSR	90	140	24	1.5	58.5	50	3000	--	1.18
6218	90	160	30	2	96.5	72	3800	4500	2.2
6218.2RSR	90	160	30	2	96.5	72	2500	--	2.2
6218.2Z	90	160	30	2	96.5	72	3800	--	2.2
6218Z	90	160	30	2	96.5	72	3800	4500	2.2
6218RSR	90	160	30	2	96.5	72	2500	--	2.2
6318	90	190	43	3	134	102	3400	4000	4.9
6318.2RSR	90	190	43	3	134	102	2200	--	4.9
6318.2Z	90	190	43	3	134	102	3400	--	4.9
6318Z	90	190	43	3	134	102	3400	4000	4.9
6318RSR	90	190	43	3	134	102	2200	--	4.9

Single Row Deep Groove Ball Bearings

6418	90	225	54	4	196	163	3000	3600	11.6
61819	95	120	13	1	19.9	21.2	5000	6000	0.3
61919	95	130	18	1.1	33.8	33.5	4800	5600	0.61
6019	95	145	24	1.5	60	54	4300	5000	1.21
16019	95	145	16	1	40	40.5	4500	5300	0.905
6019.2RSR	95	145	24	1.5	60	54	2900	--	1.21
6019.2Z	95	145	24	1.5	60	54	4300	--	1.21
6019Z	95	145	24	1.5	60	54	4300	5000	1.21
6019RSR	95	145	24	1.5	60	54	2900	--	1.21
6219	95	170	32	2.1	108	81.5	3600	--	2.67
6219.2RSR	95	170	32	2.1	108	81.5	2400	--	2.67
6219.2Z	95	170	32	2.1	108	81.5	3600	--	2.67
6219Z	95	170	32	2.1	108	81.5	3600	4300	2.67
6219RSR	95	170	32	2.1	108	81.5	2400	4300	2.67
6319	95	200	45	3	143	112	3200	3800	5.65
6319.2RSR	95	200	45	3	143	112	2200	--	5.65
6319.2Z	95	200	45	3	143	112	3200	--	5.65
6319Z	95	200	45	3	143	112	3200	3800	5.65
6319RSR	95	200	45	3	143	112	2200	--	5.65
61820	100	125	13	1	19.9	22	4800	5600	0.31
61920	100	140	20	1.1	42.2	41.5	4500	5300	0.83
6020	100	150	24	1.5	60	54	4000	4800	1.26
16020	100	150	16	1	44	44	4300	5000	0.929
6020.2RSR	100	150	24	1.5	60	54	2700	--	1.26
6020.2Z	100	150	24	1.5	60	54	4000	--	1.26
6020Z	100	150	24	1.5	60	54	4000	4800	1.26
6020RSR	100	150	24	1.5	60	54	2700	--	1.26
6220	100	180	34	2.1	122	93	3400	4000	3.22

Single Row Deep Groove Ball Bearings

6220.2RSR	100	180	34	2.1	122	93	2200	--	3.22
6220.2Z	100	180	34	2.1	122	93	3400	--	3.22
6220Z	100	180	34	2.1	122	93	3400	4000	3.22
6220RSR	100	180	34	2.1	122	93	2200	--	3.22
61821	105	130	13	1	20.8	19.6	4500	5300	0.32
61921	105	145	20	1.1	44.2	44	4300	5000	0.87
6021	105	160	26	2	71	64	3800	4500	1.58
16021	105	160	18	1	54	54	4000	4800	1.22
6021.2RSR	105	160	26	2	71	64	2500	--	1.58
6021.2Z	105	160	26	2	71	64	3800	--	1.58
6021Z	105	160	26	2	71	64	3800	4500	1.58
6021RSR	105	160	26	2	71	64	2500	--	1.58
6221	105	190	36	2.1	132	104	3200	3800	3.86
6221.2RSR	105	190	36	2.1	132	104	2100	--	3.86
6221.2Z	105	190	36	2.1	132	104	3200	--	3.86
6221Z	105	190	36	2.1	132	104	3200	3800	3.86
6221RSR	105	190	36	2.1	132	104	2100	--	3.86
6320	105	216	47	3	163	134	3000	3600	7.56
6321	105	225	49	3	173	146	2800	3400	8.63
61822	110	140	16	1	28.1	30.5	4300	5000	0.6
61922	110	150	20	1.1	43.5	45	4000	4800	0.9
6022	110	170	28	2	80	70	3600	4300	1.49
16022	110	170	19	1	57	57	3800	4500	1.49
6022.2RSR	110	170	28	2	80	70	2400	--	1.49
6022.2Z	110	170	28	2	80	70	3600	--	1.49
6022Z	110	170	28	2	80	70	3600	4300	1.49
6022RSR	110	170	28	2	80	70	2400	--	1.49
6222	110	200	38	2.1	143	116	3000	3600	4.57

Single Row Deep Groove Ball Bearings

6222.2RSR	110	200	38	2.1	143	116	2000	--	4.57
6222.2Z	110	200	38	2.1	143	116	3200	--	4.57
6222Z	110	200	38	2.1	143	116	3000	3600	4.57
6222RSR	110	200	38	2.1	143	116	2000	--	4.57
6322	110	240	50	3	190	166	2600	3200	10.3
61824	120	150	16	1	29.1	32.5	3800	4500	0.65
61924	120	165	22	1.1	55	57	3600	4300	1.2
6024	120	180	28	2	83	78	3400	4000	2.11
16024	120	180	19	1	61	64	3400	4000	1.6
6024.2RSR	120	180	28	2	83	78	2300	--	2.11
6024.2Z	120	180	28	2	83	78	3400	--	2.11
6024Z	120	180	28	2	83	78	3400	4000	2.11
6024RSR	120	180	28	2	83	78	2300	--	2.11
6224	120	215	40	2.1	146	122	2800	3400	5.6
6224.2RSR	120	215	40	2.1	146	122	1900	--	5.6
6224.2Z	120	215	40	2.1	146	122	2800	--	5.6
6224Z	120	215	40	2.1	146	122	2800	3400	5.6
6224RSR	120	215	40	2.1	146	122	1900	--	5.6
6324	120	260	55	3	212	190	2400	3000	12.8
61826	130	165	18	1.1	37.7	43	3600	4300	0.93
61926	130	180	24	1.5	65	67	3400	4000	1.6
6026	130	200	33	2	104	100	3000	3600	3.27
16026	130	200	22	1.1	78	81.5	3200	3800	2.42
6226	130	230	40	3	166	146	2600	3200	6.22
6326	130	280	58	4	228	216	2200	2800	18.2
61828	140	175	18	1.1	39	46.5	3400	4000	0.99
61928	140	190	24	1.5	66.5	72	3200	3800	1.7
6028	140	210	33	2	108	108	2800	3400	3.53

Single Row Deep Groove Ball Bearings

16028	140	210	22	1.1	80	86.5	3000	3600	2.53
6228	140	250	42	3	176	166	2400	3000	8.04
6328	140	300	62	4	255	245	2000	2600	22
61830	150	190	20	1.1	51	60	3000	3600	1.2
61930	150	210	28	2	88.4	93	2800	3400	3.05
6030	150	225	35	2.1	122	125	2600	3200	4.32
16030	150	225	24	1.1	91.5	98	2800	3400	3.12
6230	150	270	45	3	176	170	2200	2800	10.3
6330	150	320	65	4	284	300	1900	2400	26.6
61832	160	200	20	1.1	49.4	64	2800	3400	1.45
61932	160	220	28	2	92.2	98	2600	3200	3.25
6032	160	240	38	2.1	140	140	2400	3000	6.26
16032	160	240	25	1.5	102	114	2600	3200	3.77
6232	160	290	48	3	186	200	2200	2800	14.3
6332	160	340	68	4	300	324	1800	2200	29.3
61834	170	215	22	1.1	61.8	78	2600	3200	1.9
61934	170	230	28	2	93.5	106	2400	3000	3.4
6034	170	260	42	2.1	160	168	2200	2800	7.1
16034	170	260	28	1.5	122	137	2400	3000	5.13
6234	170	310	52	4	212	224	2000	2600	17.5
6334	170	360	72	4	325	365	1700	2000	35.1
61836	180	225	33	1.1	62.4	81.5	2400	3000	2
61936	180	250	33	2	119	134	2200	2800	5.05
6036	180	280	46	2.1	185	195	2200	2800	11
16036	180	280	31	2	140	146	2200	2800	6.66
6236	180	320	52	4	224	245	1900	2400	18.2
6336	180	380	75	4	355	405	1600	1900	43.3
61838	190	240	24	1.5	67	81.5	2200	2800	2.6

Single Row Deep Groove Ball Bearings

61938	190	260	33	2	117	134	2200	2800	5.25
6038	190	290	46	2.1	196	212	2000	2600	10.6
16038	190	290	31	2	150	166	2000	2600	8
6238	190	340	55	4	255	280	180	2200	21.8
6338	190	400	78	5	375	440	1500	1800	50
61840	200	250	24	1.5	68	84	2200	2800	2.7
61940	200	280	38	2.1	148	160	2000	2600	7.4
6040	200	310	51	2.1	212	240	1900	2400	13.7
16040	200	310	34	2	170	190	2000	2600	9.1
6240	200	360	58	4	270	310	1700	2000	26.2
6340	200	420	80	5	377	465	1500	1800	56.6
61844	220	270	24	1.5	78	110	1900	2400	3
61944	220	300	38	2.1	151	180	1900	2400	8
6044	220	340	56	3	245	290	1700	2000	18
16044	220	340	37	2.1	174	204	1800	2200	12
6244	220	400	65	4	290	354	1500	1800	36.9
6344	220	460	88	5	410	520	1300	1600	74.5
61848	240	300	28	2	96	125	1700	2000	4.5
61948	240	320	38	2.1	159	200	1800	2200	8.6
6048	240	360	56	3	255	315	1600	1900	19.9
16048	240	360	37	2.1	185	228	1600	1900	14.3
6248	240	440	72	4	358	475	1400	1700	50.2
6348	240	500	95	5	442	585	1100	1400	96
61852	260	320	28	2	96	125	1700	2000	4.8
61952	260	360	46	2.1	212	270	1600	1900	14.5
6052	260	400	65	4	300	390	1400	1700	31.1
16052	260	400	44	3	238	310	1500	1800	21.2
6252	260	480	80	5	390	530	1100	1400	66.6

Single Row Deep Groove Ball Bearings

6352	260	540	102	5	307	710	1000	1300	119
61856	280	350	33	2	125	170	1600	1900	7.4
61956	280	380	46	2.1	216	285	1500	1800	15.5
6056	280	420	65	4	305	425	1400	1700	33
16056	280	420	44	3	240	325	1400	1700	23.1
6256	280	500	80	5	423	600	1100	1400	70.5
6356	280	580	108	6	572	850	950	1200	146
61860	300	380	38	2.1	166	233	1400	1700	10.4
61960	300	420	56	3	270	375	1300	1600	24.5
6060	300	460	74	4	355	5000	1200	1500	45
16060	300	460	50	4	285	405	1200	1500	32
6260	300	540	85	5	465	670	1000	1300	87.8
61864	320	400	38	2.1	168	244	1300	1600	11
61964	320	440	56	3	266	375	1200	1500	25.7
6064	320	480	74	4	390	570	1100	1400	46
16064	320	480	50	4	293	430	1100	1400	34
6264	320	580	92	5	530	805	950	1200	110
61868	340	420	38	2.1	175	265	1200	1500	11.6
61968	340	460	56	3	280	425	1100	1400	27.1
6068	340	520	82	5	440	660	1000	1300	62
16068	340	520	57	4	345	520	1100	1300	45
6268	340	620	92	6	530	820	900	1100	110
61872	360	440	38	2.1	192	290	1100	1400	12
61972	360	480	56	3	280	425	1100	1400	29.3
6072	360	540	82	5	460	720	1000	1300	64.7
16072	360	540	57	4	365	585	1000	1300	49
6272	360	650	95	6	555	905	900	1100	145
61876	380	480	46	2.1	238	375	1000	1300	19.5

Single Row Deep Groove Ball Bearings

61976	380	520	65	4	325	510	1000	1300	40
6076	380	560	82	5	455	725	950	1200	68.5
16076	380	560	57	4	375	620	950	1200	51
61880	400	500	46	2.1	241	390	1000	1300	20.5
61980	400	540	65	4	335	540	950	1200	42
6080	400	600	90	5	510	825	900	1100	90.5
61884	420	520	46	2.1	245	410	950	1200	21.5
61984	420	560	65	4	340	570	900	1100	43.5
6084	420	620	90	5	530	895	900	1100	91.5
61888	440	540	46	2.1	249	425	900	1100	21.4
61988	440	600	74	4	395	680	900	1100	60.2
6088	440	650	94	6	550	965	850	1000	105
61892	460	580	56	3	310	550	900	1100	33.2
61992	460	620	74	4	405	720	850	1000	68.3
6092	460	680	100	6	605	1080	800	950	120
61896	480	600	56	3	315	575	850	1000	35.4
61996	480	650	78	5	450	815	800	950	80
6096	480	700	100	6	605	1090	750	900	125
618/500	500	620	56	3	332	620	800	950	37.2
619/500	500	670	78	5	460	865	750	900	77
60/500	500	720	100	6	630	1170	750	900	131
618/530	530	650	56	3	325	625	750	900	39.5
619/530	530	710	82	5	455	870	700	850	89.8
60/530	530	780	112	6	680	1300	670	800	184
618/560	560	680	56	3	330	650	700	850	41.5
619/560	560	750	85	5	525	1040	670	800	105
60/560	560	820	115	6	663	1470	630	750	210
618/600	600	730	60	3	335	735	670	800	50.9

Single Row Deep Groove Ball Bearings

619/600	600	800	90	5	550	1160	630	750	120
60/600	600	870	118	6	790	1640	600	700	236
619/630	630	780	69	4	420	890	630	750	71.3
619/630	630	850	100	6	625	1350	600	700	163
60/630	630	920	128	7.5	750	1620	560	670	285
618/670	670	820	69	4	435	965	560	670	75.4
619/670	670	900	103	6	675	1460	530	630	181
60/670	670	980	136	7.5	765	1730	500	600	351
618/710	710	870	74	4	480	1100	530	630	92.6
619/710	710	950	106	6	715	1640	500	600	208
60/710	710	1030	140	7.5	1020	2310	480	560	386
618/750	750	920	78	5	525	1260	500	600	110
619/750	750	1000	112	6	785	1840	480	560	245
60/750	750	1090	150	7.5	995	2360	450	530	485
618/700	800	980	82	5	530	1310	450	530	132
619/800	800	1060	115	6	825	2050	430	500	275
60/800	800	1150	155	7.5	1010	2550	400	480	540
618/850	850	1030	82	5	559	1430	430	500	140
619/850	850	1120	118	6	832	2160	400	480	310
60/850	850	1220	165	7.5	1120	2900	360	430	630
618/900	900	1090	85	5	618	1600	380	450	160
619/900	900	1180	122	6	852	2280	380	430	350
60/900	900	1280	170	7.5	1140	3100	340	400	720
618/950	950	1150	90	5	637	1730	360	430	190
619/950	950	1250	132	7.5	1010	2800	340	400	390
60/950	950	1360	180	7.5	1170	3250	320	380	860
618/1000	1000	1220	100	6	637	1800	340	400	245
619/1000	1000	1320	140	7.5	1010	2800	320	380	515

Single Row Deep Groove Ball Bearings

60/1000	1000	1420	185	7.5	1350	3900	280	340	930
618/1060	1060	1280	100	6	728	2120	300	360	260
619/1060	1060	1400	150	7.5	1010	3000	280	340	620
60/1060	1060	1500	195	9.5	1350	3900	260	320	1080
618/1120	1120	1360	106	6	741	2200	--	--	315
619/1120	1120	1460	150	7.5	1040	3100	--	--	650
60/1120	1120	1580	200	9.5	1460	4400	--	--	1250
618/1180	1180	1420	106	6	710	2580	--	--	310
619/1180	1180	1540	160	7.5	1140	3600	--	--	775
618/1250	1250	1500	112	6	852	2750	--	--	385
618/1320	1320	1600	122	6	956	3150	--	--	500
619/1320	1320	1720	128	7.5	1210	4050	--	--	830
618/1400	1400	1700	132	7.5	1120	4000	--	--	615
619/1400	1400	1820	185	9.5	1590	5500	--	--	1250
618/1500	1500	1820	140	7.5	1210	4400	--	--	745
619/1500	1500	1950	195	9.5	1720	6100	--	--	1500
618/1600	1600	1950	155	7.5	1270	4800	--	--	965
619/1600	1600	2060	200	9.5	1860	6950	--	--	1650
618/1700	1700	2060	160	7.5	1270	4900	--	--	1100
619/1700	1700	2180	212	9.5	1990	7650	--	--	1950